



Personal Edition

Installation and Set Up Guide

To install dBASE PLUS, insert the dBASE CD into your CD drive. Or run the Setup.exe from the self-extracting .zip file you downloaded.

IMPORTANT NOTE: The Borland Database Engine will also be installed during the dBASE PLUS installation. *If you have other applications running that use the Borland Database Engine, you must close them before continuing.*

dBASE Plus 8 will NOT install over previous versions of dBASE Plus. A new folder will be created during install ... dbase\Plus8. The Shortcuts will be created under START / ALL PROGRAMS / dBASE Plus 8.

Instructions for each page of the installer: (after the Welcome screen)

License Agreement : Accept the License agreement and click Next

Destination Folder: Accept the default or choose another folder to install dBASE Plus.

Destination Folder: Accept the default or choose another folder to install the BDE.

Choose Languages: Choose the languages you would like supported by the dBASE Plus IDE.

NOTE: the Choose Languages option has been disabled for this initial release of dBASE Plus 8. Additional Plus 8 IDE language support is forthcoming.

Ready to Install: Click Next to continue.

After all of the dBASE files have been installed :

1. the BDE Config file (IDAPI.CFG) will be created (if it doesn't already exist).
2. Then the MSVC Runtime will be installed.
(The MSVC runtime is necessary for the registration of some of the support files.)
3. The final page of the installer will ask if you want to run dBASE Plus 8 and register it. You can uncheck if you don't want to do this. If you leave this 'checked' and you have not registered yet, the registration dialog will show and you will need to enter your registration information that you received after your purchase.

IMPORTANT NOTE: When the install has completed you might be asked to **re-boot**. THIS IS IMPORTANT as there are some Windows cleanup that is necessary before running dBASE.

Most files are installed under the <**dBASE Plus root**> directory.

However, if you are installing under windows Vista, Windows 7 or Windows 8 the default installation for some of these files changes.

Some files (like Samples) are copied to the <c:\users\username\dBase\Plus8...> directory in order to allow for editing of these files. This is because of the strict control Vista, 7 and 8 implement under most public folders (This is called UAC).

For more information on where files are installed goto *Help / Contents and Index* (in the Plus IDE) and search for 'useUACPaths' or 'UAC' under the Index tab.